


ScottsMiracle-Gro Presentation



Lawn Food

Importance & Benefits of Regular Feedings



Crabgrass Prevention

Identifying Crabgrass

- Begins to germinate when the temperature in the upper inch of soil reaches 55° to 58° F at daybreak for 4 to 5 days
- Appears in the lawn in the summer
- Grows in a clump & low to the ground
- Wider blades than desirable lawn grasses
- Star-shaped center
- Seed head looks like a crow's foot
- Each crabgrass plant can produce thousands of seeds that can remain viable for several years
- Dies & turns brown in the fall after the first hard frost



Crabgrass Prevention

Scotts® Turf Builder® Halts® Crabgrass Preventer with Lawn Food*

- **What it does:**
 - Stops crabgrass before it invades & protects all season (up to 4 months)
 - Feeds for a fast green-up after winter
 - Builds strong, deep grass roots
- **Where to use:**
 - For use on all grass types except dichondra & bentgrass
- **How to use:**
 - Apply in early spring when grass begins to green-up & grow
 - Apply when lawn is dry & for best results, the lawn should receive ¼ to ½ inch of water from rainfall or watering within 2-3 days after application
 - Do not seed or sod for 4 months following application
 - Do not apply to newly seeded or sodded areas until after the 4th mowing. On newly sprigged areas, wait 5 months before application
- **NPK ratio & active ingredients:**
 - 30-0-4
 - Pendimethalin




*Not available in AK, FL or HI.

Crabgrass Prevention



Scotts® Step® 1 Crabgrass Preventer Plus Lawn Food*

- **What it does:**
 - Prevents crabgrass for up to 4 months
 - Feeds for a fast green-up after winter
- **Where to use:**
 - For use on all grass types except dichondra & bentgrass
- **How to use:**
 - Apply in early spring when grass begins to green-up & grow
 - Apply when lawn is dry & for best results, the lawn should receive ¼ to ½ inch of water from rainfall or watering within 2-3 days after application
 - Do not seed or sod for 4 months following application
 - Do not apply to newly seeded or sodded areas until after the 4th mowing. On newly sprigged areas, wait 5 months before application
- **NPK ratio & active ingredients:**
 - 28-0-7
 - Pendimethalin



*Not available in AK, FL or HI.


Crabgrass Prevention

Scotts® WeedEx™ Prevent with Halts®*

- **What it does:**
 - Prevents crabgrass all season long
 - Prevents other listed weeds including henbit, chickweed, Poa annua & moss**
- **Where to use:**
 - For use on all grass types except dichondra & bentgrass
- **How to use:**
 - Apply in early spring when grass begins to green-up & grow
 - Apply in the fall (August – October), to prevent henbit, chickweed, Poa annua, moss** & other listed weeds
 - Apply when lawn is dry & for best results, the lawn should receive ¼ to ½ inch of water from rainfall or watering within 2-3 days after application
 - Do not seed or sod for 4 months following application
 - Do not apply to newly seeded or sodded areas until after the 4th mowing. On newly sprigged areas, wait 5 months before application
- **Active ingredients:**
 - Pendimethalin

*Not available in AK or HI.

**Except in CA.




Crabgrass Prevention



Scotts® Step® 1 for Seeding Starter® Lawn Food with Weed Preventer*

- **What it does:**
 - Prevents crabgrass, dandelions & other listed weeds for up to 6 weeks
- **Where to use:**
 - For use on newly seeded, overseeded or planted Kentucky bluegrass, perennial ryegrass, fine, spreading & creeping red fescues, tall fescue & centipede
- **How to use:**
 - Apply to a dry lawn, then lightly water to activate
- **What to expect:**
 - New weeds will sprout white or turn white & quickly die
 - May cause temporary whitening of grass foliage
- **NPK ratio & active ingredients:**
 - 21-22-4
 - Mesotrione



*Not available in CA or FL.

Weed Control

Scotts® Turf Builder® Weed & Feed₅

- **What it does:**
 - Clears out dandelions & clover & thickens grass to crowd out future weeds
 - Weedgrip™ technology grips the weeds you see & the ones you don't!
 - Builds thick, green lawns
- **Where to use:**
 - For use on bluegrass, ryegrass, fescue, bahia, bermuda, centipede & zoysia
- **How to use:**
 - Apply when weeds are actively growing
 - Apply to a wet lawn to help particles adhere to weed leaves
 - Do not water your lawn for 24 hours after application or apply if rain is expected within the next 24 hours
- **NPK ratio & active ingredients:**
 - 25-0-2
 - 2,4-D & Dicamba




Weed Control



Scotts® Step® 2 Weed Control Plus Lawn Food₂*

- **What it does:**
 - Clears out dandelions & clover – Guaranteed!**
 - Scotts® Exclusive Particle Technology gets the weeds you see & the ones you don't
- **Where to use:**
 - For use on all grass types except St. Augustine (including Floratam), dichondra, lippia, carpetgrass & bentgrass
- **How to use:**
 - Apply when weeds are actively growing
 - Apply to a wet lawn to help particles adhere to weed leaves
 - Do not water your lawn for 24 hours after application or apply if rain is expected within the next 24 hours
- **NPK ratio & active ingredients:**
 - 28-0-3
 - 2,4-D & Mecoprop-p



*Not available in AK, FL or HI.

**See Scotts No-Quibble Guarantee® on back panel.

Weed Control

Scotts® Turf Builder® WinterGuard® Fall Weed & Feed₅

- **What it does:**
 - Kills dandelions & other major lawn weeds
 - Weedgrip™ technology grips the weeds you see & the ones you don't!
 - Thickens lawn to crowd out weeds
- **Where to use:**
 - For use on bluegrass, ryegrass, fescue, bahia, bermuda, centipede & zoysia
- **How to use:**
 - Apply once in fall for a better lawn next spring
 - Apply to a wet lawn to help particles adhere to weed leaves
 - Do not water your lawn for 24 hours after application or apply if rain is expected within the next 24 hours
- **NPK ratio & active ingredients:**
 - 26-0-2
 - 2,4-D & Dicamba




*As listed.

Weed Control

Scotts® Turf Builder® Bonus® S Southern Weed & Feed₂

- **What it does:**
 - Kills dollarweed & clover & feeds grass to crowd out future weeds
 - Builds strong, deep grass roots
- **Where to use:**
 - For use on St. Augustine (including Floratam), centipede, zoysia & carpetgrass
- **How to use:**
 - Apply when grass & weeds are actively growing
 - Apply only when grass is dry & water-in immediately after application
- **NPK ratio & active ingredients:**
 - 29-0-10
 - Florida formula: Contains 65% slow release nitrogen
 - Atrazine



Weed Control

Roundup® For Lawns (Northern Products)†

- **What it does:**
 - Kills weeds – Won't harm lawns*
 - Kills 253 types of weeds including crabgrass, dandelion, clover & yellow nutsedge**
 - Up to 3 month control***
- **Where to use:**
 - For use on Kentucky bluegrass, perennial ryegrass, fine fescue, tall fescue, bermuda, buffalo & zoysia
- **How to use:**
 - Apply to actively growing weeds
 - Rainproof in 3 hours
- **What to expect:**
 - Fast acting for visible results in hours
- **Active ingredients:**
 - MCPA, Quinclorac, Dicamba & Sulfentrazone



†Not available in FL, HI, LA or NY.

*When used as directed.

**See inside booklet for weed list.

***As listed.

Weed Control

A Few of the Weeds Controlled by Roundup® For Lawns Crabgrass Destroyer₂



Crabgrass



Barnyardgrass



Dallisgrass



Foxtail



Japanese Stiltgrass



Johnsongrass



Nimblewill (Active)



Nimblewill (Dormant)

Weed Control

Ortho® WeedClear® Lawn Weed Killer - North

- **What it does:**
 - Kills all types of weeds*
 - Kills 200+ weeds including dandelion, crabgrass & clover
 - Kills weeds to the roots
 - Won't harm the lawn, guaranteed**
- **Where to use:**
 - For use on Kentucky bluegrass, perennial & annual ryegrass, fine fescue, tall fescue, bermuda (common & hybrid), buffalo & zoysia
- **How to use:**
 - Apply to actively growing weeds
 - Rainproof in 1 hour
- **What to expect:**
 - Results with 1 application
- **Active ingredients:**
 - 2,4-D, Quinclorac & Dicamba



*See inside booklet for a complete list of weeds controlled.

**When used as directed.

Weed Control

A Few of the Weeds Controlled by Ortho® Chickweed, Clover & Oxalis Killer for Lawns



Mouse-ear Chickweed



White Clover



Oxalis



Creeping Charlie (Ground Ivy)



Thistle



Wild Violet

Lawn Food

Scotts® Turf Builder® Lawn Food

- **What it does:**
 - Feeds & strengthens to help protect against future problems
 - Builds strong, deep roots
 - Improves the lawn's ability to absorb water & nutrients vs. an unfed lawn
- **Where to use:**
 - For use on all grass types
- **How to use:**
 - Apply when grass is actively growing
 - For fast results, lightly water in. Product does not require watering in
- **NPK ratio:**
 - 32-0-4




Lawn Food



Scotts® Step® 3 Lawn Food with 2% Iron*

- **What it does:**
 - Feeds & strengthens lawns against heat & drought
 - Improves the lawn's ability to absorb water & nutrients vs. an unfed lawn
- **Where to use:**
 - For use on all grass types
- **How to use:**
 - Apply when grass is actively growing
 - No need to water in. However, during dry periods watering will speed greening
- **NPK ratio:**
 - 32-0-4



*Not available in FL.

Lawn Food

Scotts® Turf Builder® WinterGuard® Fall Lawn Food*

- **What it does:**
 - Builds strong, deep grass roots for a better lawn next spring
 - Delivers nutrients that help repair damage from heat, drought & activity
 - Improves the lawn's ability to absorb water & nutrients vs. an unfed lawn
- **Where to use:**
 - For use on all grass types
- **How to use:**
 - For fast results, lightly water in. Product does not require watering in
- **NPK ratio:**
 - 32-0-10



Lawn Food



Scotts® Step® 4 Fall Lawn Food*

- **What it does:**
 - Feeds & strengthens grass for a better lawn next spring
 - Builds strong roots for the tough winter months
 - Improves the lawn's ability to absorb water & nutrients vs. an unfed lawn
- **Where to use:**
 - For use on all grass types
- **How to use:**
 - No need to water in. However, during dry periods watering will speed greening
- **NPK ratio:**
 - 32-0-12



*Not available in FL.